

LEVEL TRANSMITTERS • FLOAT AND CAPACITIVE

Stainless-Steel Float Level Gauge

II-LT-009

Magnetic float



Full specification, variants, open points and ordering information. A float rides the liquid surface along a stainless stem; the position is turned into a signal.

ENQUIRIESinfo@indianainstrutech.com

+91 75033 02545

+91 92893 62447

ISSUED

24 October 2026

Stainless-Steel Float Level Gauge

Indiana catalogue ID **II-LT-009** Level Transmitters · Float and capacitive

IDENTIFICATION

Product	Stainless-Steel Float Level Gauge
Indiana catalogue ID	II-LT-009
Category	Level Transmitters · Float and capacitive
Measuring principle	Magnetic float
Model line	0–6000 mm · IP65
Document	Specification · issued 24 October 2026

01 As stated in the manufacturer listing

Principle	Float-type liquid level gauge
Body	304 stainless steel
Measuring span	0–6000 mm
Protection	IP65
Output	4–20 mA with HART or RS485
Accuracy (spec card)	±10 mm
Medium temperature (title)	–10 to 80 — the unit is not printed; °C is assumed

02 Open points — confirmed with the quotation

NOT STATED IN THE LISTING — CONFIRMED WITH THE QUOTATION

Medium density limits	<i>Not stated in the source</i>
Process connection	<i>Not stated in the source</i>
Pressure rating	<i>Not stated in the source</i>
Supply voltage	<i>Not stated in the source</i>
Float material	<i>Not stated in the source</i>

Each line above is a value the source documentation does not state. It is confirmed in writing with the quotation for the configuration ordered — it is not an omission from this document.

03 Applications and industries

APPLICATIONS

- Storage and process tanks
- Shipbuilding and marine tanks

INDUSTRIES

Shipbuilding

General industry

Chemical


04 Views



PRIMARY VIEW Stainless-Steel Float Level Gauge — overall view
Product photograph



ALTERNATE VIEW Stainless-Steel Float Level Gauge — view 2
Product photograph



ALTERNATE VIEW Stainless-Steel Float Level Gauge — view 3
Product photograph

05 Ordering

Quote reference **II-LT-009**

Lead time, terms, documentation **Confirmed in the quotation**

TO PREPARE A QUOTATION WE NEED

- Medium and vessel or well type
- Measuring range
- Output and power supply required
- Process connection or mounting
- Quantity

TELEPHONE

+91 75033 02545

+91 92893 62447

EMAIL

info@indianainstrutech.com

QUOTATION

List the product, ID and quantity; add process conditions. We reply with a quotation.

CONFIRM BEFORE ORDERING

- Photographs, figures and wording come from the manufacturer's product listing for this family and may describe a sibling configuration; the datasheet for the ordered model is confirmed with the quotation.
- The medium temperature is printed as “-10 80” without a unit; confirm it is –10 to 80 °C.
- One listing names shipbuilding; confirm the marine approvals, if any are needed.

Manufacturer product listing (saved October 2026). Figures are reproduced as listed; spec-card values and title values are shown separately where they differ. Values are reproduced from the source documentation as stated there; where a source gives two different values for the same property, both are shown with their source. Unstated values are listed under “Open points”. This document is not a certificate, and no approval, certification or hazardous-area suitability is implied. INDIANA SALES (INDIANA INSTRUTECH) · info@indianainstrutech.com · +91 75033 02545 · +91 92893 62447 · issued 24 October 2026.