

LEVEL TRANSMITTERS • ULTRASONIC

Ultrasonic Level Transmitter with LCD

II-LT-004

Ultrasonic, non-contact



Full specification, variants, open points and ordering information. A sensor head that looks down at the liquid surface and reports its distance — nothing touches the water.

ENQUIRIESinfo@indianainstrutech.com

+91 75033 02545

+91 92893 62447

ISSUED

24 October 2026

Ultrasonic Level Transmitter with LCD

Indiana catalogue ID **II-LT-004** Level Transmitters · Ultrasonic

IDENTIFICATION

Product	Ultrasonic Level Transmitter with LCD
Indiana catalogue ID	II-LT-004
Category	Level Transmitters · Ultrasonic
Measuring principle	Ultrasonic, non-contact
Model line	Plastic housing · 4–20 mA
Document	Specification · issued 24 October 2026

01 As stated in the manufacturer listing

Principle	Ultrasonic level measurement
Output (spec card)	4–20 mA
Accuracy (spec card)	0.5 % F.S.
Housing	Plastic
Display	LCD
Application named	Water treatment

02 Open points — confirmed with the quotation

NOT STATED IN THE LISTING — CONFIRMED WITH THE QUOTATION

Measuring range and blind zone	<i>Not stated in the source</i>
Beam angle	<i>Not stated in the source</i>
Supply voltage	<i>Not stated in the source</i>
Process connection and mounting	<i>Not stated in the source</i>
Protection rating	<i>Not stated in the source</i>
Temperature limits	<i>Not stated in the source</i>

Each line above is a value the source documentation does not state. It is confirmed in writing with the quotation for the configuration ordered — it is not an omission from this document.

03 Applications and industries

APPLICATIONS

- Open tanks and sumps
- Water-treatment plants
- Level monitoring and pump control

INDUSTRIES

Water and wastewater

Water treatment

04 Views



PRIMARY VIEW Ultrasonic Level Transmitter with LCD — overall view
Product photograph



ALTERNATE VIEW Ultrasonic Level Transmitter with LCD — view 2
Product photograph



ALTERNATE VIEW Ultrasonic Level Transmitter with LCD — view 3
Product photograph



ALTERNATE VIEW Ultrasonic Level Transmitter with LCD — view 4
Product photograph



ALTERNATE VIEW Ultrasonic Level Transmitter with LCD — view 5
Product photograph

05 Ordering

Quote reference II-LT-004

Lead time, terms, documentation Confirmed in the quotation

TO PREPARE A QUOTATION WE NEED

- Medium and vessel or well type
- Measuring range
- Output and power supply required
- Process connection or mounting
- Quantity

TELEPHONE

+91 75033 02545
+91 92893 62447

EMAIL

info@indianainstrutech.com

QUOTATION

List the product, ID and quantity; add process conditions. We reply with a quotation.

CONFIRM BEFORE ORDERING

- Photographs, figures and wording come from the manufacturer's product listing for this family and may describe a sibling configuration; the datasheet for the ordered model is confirmed with the quotation.
- The documented Intelligent Ultrasonic Level Meter lists ranges of 5–25 m; the range of this family is not stated.

Manufacturer product listing (saved October 2026). Figures are reproduced as listed; spec-card values and title values are shown separately where they differ. Values are reproduced from the source documentation as stated there; where a source gives two different values for the same property, both are shown with their source. Unstated values are listed under "Open points". This document is not a certificate, and no approval, certification or hazardous-area suitability is implied. INDIANA SALES (INDIANA INSTRUTECH) · info@indianainstrutech.com · +91 75033 02545 · +91 92893 62447 · issued 24 October 2026.