

PRESSURE METERS • DIFFERENTIAL PRESSURE

Wind-Pressure (Micro-Differential) Transmitter

II-PT-014

Diffused silicon, micro-differential



Full specification, variants, open points and ordering information. A low-range differential transmitter with two nipples, built for air ducts, clean rooms and ventilation.

ENQUIRIESinfo@indianainstrutech.com

+91 75033 02545

+91 92893 62447

ISSUED

24 October 2026

Wind-Pressure (Micro-Differential) Transmitter

Indiana catalogue ID **II-PT-014** Pressure Meters · Differential pressure

IDENTIFICATION

Product	Wind-Pressure (Micro-Differential) Transmitter
Indiana catalogue ID	II-PT-014
Category	Pressure Meters · Differential pressure
Measuring principle	Diffused silicon, micro-differential
Model line	Duct and room pressure
Document	Specification · issued 24 October 2026

01 As stated in the manufacturer listing

Type	Wind-pressure differential transmitter
Output	4–20 mA or RS485
Accuracy (spec card and title)	0.5 % F.S.
Housing (title)	304 stainless steel — the photographs show a light box
Protection (title)	IP65/IP67
Application named	Chemical industry

02 Open points — confirmed with the quotation

NOT STATED IN THE LISTING — CONFIRMED WITH THE QUOTATION

Differential span	<i>Not stated in the source</i>
Overpressure limit	<i>Not stated in the source</i>
Supply voltage	<i>Not stated in the source</i>
Nipple size	<i>Not stated in the source</i>
Temperature limits	<i>Not stated in the source</i>

Each line above is a value the source documentation does not state. It is confirmed in writing with the quotation for the configuration ordered — it is not an omission from this document.

03 Applications and industries

APPLICATIONS

- Air ducts and ventilation systems
- Clean-room and room pressure
- Filter-condition monitoring

INDUSTRIES

HVAC and building services

Chemical

Pharmaceutical

04 Views



PRIMARY VIEW Wind-Pressure (Micro-Differential) Transmitter — overall view
Product photograph



ALTERNATE VIEW Wind-Pressure (Micro-Differential) Transmitter — view 2
Product photograph



ALTERNATE VIEW Wind-Pressure (Micro-Differential) Transmitter — view 3
Product photograph



ALTERNATE VIEW Wind-Pressure (Micro-Differential) Transmitter — view 4
Product photograph

05 Ordering

Quote reference **II-PT-014**

Lead time, terms, documentation **Confirmed in the quotation**

TO PREPARE A QUOTATION WE NEED

- Pressure type (gauge, absolute, differential) and range
- Medium and temperature
- Output and supply required
- Process connection

Quantity

TELEPHONE

+91 75033 02545

+91 92893 62447

EMAIL

info@indianainstrutech.com

QUOTATION

List the product, ID and quantity; add process conditions. We reply with a quotation.

CONFIRM BEFORE ORDERING

- Photographs, figures and wording come from the manufacturer's product listing for this family and may describe a sibling configuration; the datasheet for the ordered model is confirmed with the quotation.
- The title states a 304 stainless housing, while the photographs show a lighter box; confirm the housing material.

Manufacturer product listing (saved October 2026). Figures are reproduced as listed; spec-card values and title values are shown separately where they differ. Values are reproduced from the source documentation as stated there; where a source gives two different values for the same property, both are shown with their source. Unstated values are listed under "Open points". This document is not a certificate, and no approval, certification or hazardous-area suitability is implied. INDIANA SALES (INDIANA INSTRUTECH) · info@indianainstrutech.com · +91 75033 02545 · +91 92893 62447 · issued 24 October 2026.